160

91.3%

150

47

LOCAL PUBLIC HEALTH FUNDING

Total funding

Local taxes

Per

Amount Capita

\$182,815 \$10.31

\$105,630 \$5.96

Labor Force Estimates Annual Average

Civilian labor force

Number unemployed

Unemployment rate

Number employed

| PAGE 1 | | | 1996 PROFILE | FOR RICHLAN | ID COUNTY | First of four pages | | | | | |
|----------------------------------|-----------|-------|--------------|----------------|----------------|---------------------------------|---------------|-------------------|--------------------------|-----------|--------|
| POPULATION ESTIMATES | | | | 5 | PRIMA | RY HEALTH CA | \RE | LOCAL PUBLIC HE | ALTH | | |
| Total 1996 Population Est 17,720 | | | PRIMARY CARE | | | Activities Reported | Number | Per | | | |
| | | | t Female | | | | .es | <u>Physicians</u> | | Hamber | 10,000 |
| | _ | | | | 2.0 | 7.7 | 7.1 | , | Public Health Nursing | 006 | 1.61 |
| | | | on per sq | uare mile | 30 | Internal Me | | 1 | Total clients | 286 | |
| | | | | | | General Pra | | 1 | Total visits | 536 | 302 |
| ŀ | | | | ulation der | | Obstetrics | | 1 | Visits: Reason for | 216 | 170 |
| | | /Z=TO | west popu. | lation dens | sity.) | Gyneco | тоду | 1 | Gen hlth promotion | | |
| | | | | | | Pediatrics | | • | Infant/child hlth | | |
| | | | 5 | 36-7- | m-4-1 | | tice | <u>8</u> | Infectious & parasitic | • | • |
| | <u>Ag</u> | | | <u>Male</u> | <u>Total</u> | Total | | 11 | Circulatory Prenatal | | 2.5 |
| | | 14 | 1,810 | 1,890 | 3,700 | NT 1 | 1.1. 1. | _ | | 62 | |
| | 15- | | 650 | 780 | 1,430 | Note: These a | | | Postpartum | 75 | 42 |
| | 20- | | 480 | 560 | 1,040 | | physicians. | | | 610 | 244 |
| | 25- | | 430 | 470 | 900 | | | vide patient | WIC Participants | 610 | 344 |
| | 30- | - | 560 | 550 | 1,120 | care on a f | ull time bas | SIS. | and I and I. | F 560 | 2 050 |
| | 35- | | 670 | 660 | 1,340 | | | | Clinic Visits | | |
| | 40- | | 700 | 720 1,070 | 1,430 | L O N G | TERM | C A R E | | 3,439 | |
| | 45- | | 1,040 | 1,070 | 2,110 | | | | Blood pressure | 1,389 | 784 |
| | 55- | | 790 | 780 | 1,570 | Community Opt | lons and MA | Waiver | | | |
| | 65- | 74 | 830 640 | 720 470 | 1,550 | Programs | | | Environmental Contacts | | 0.7 |
| | 75- | | | | 1,110 | | # Clients | Costs | Env hazards | 66 | |
| | | | | 120 | 430 | COP | 50 | \$119,910 | Public health nuisance | 174 | 98 |
| | Tot | .al | 8,920 | 8,800 | 17,720 | MA Waivers | _ | | | | |
| | | | | | | CIP1A CIP1B CIP2 COP-W | 3 | \$74,340 | School Health | | |
| | | | _ | _ | _ | CIP1B | 34 | \$193,650 | Vision screenings | 329 | |
| | Ag | e | | Male | | CIP2 | 38 | \$124,080 | Hearing screenings | 90 | 51 |
| | | | 2,210 | 2,380 | 4,590 | COP-W | 48 | \$57,420 | | | |
| | 18- | | 3,090 | 3,270 1,850 | 6,360 | CSLA | • | | Health Education | | |
| | | | | 1,850 | 6,360 3,680 | CSLA Brain Inj Total COP/Wvr | · | <u>.</u> | Community sessions | 21 | 12 |
| | | | | 1,300 | 3,090 | Total COP/Wvr | s 128 | \$569,390 | Community attendance | 314 | 177 |
| | Tot | al | 8,920 | 8,800 | 17,720 | | | | School sessions | 2 | |
| | | | | | | | | Waiver costs | School attendance | 60 | 34 |
| | | | | | | | local match | | | | |
| | | | E M P L (| OYMENT | Γ | | unds. This | | Staffing - FTEs | | |
| | | | | | | not include | ed in above (| COP costs. | Total staff | 5 | |
| | Note | | | is based o | | | | | Administrators | <1 | |
| | | of · | work, not | place of 1 | residence. | Home Health A | gencies | 1 | Public health nurses | 2 | |
| | | | | | | Patients | | 240 | Public health aides | | |
| | | | | obs covered | | Patients per | 10,000 pop | 135 | Environmental specialist | s <1 | 0.1 |
| | by U | nempl | oyment Cor | mpensation | \$18,787 | | | | | | |
| | | | | | | Nursing Homes | | 2 | | | |
| - 1 | T -1 | | | | . 7 | | l | 100 | TOOM DIDITO HOME | TT TITTET | NTC |

Licensed beds

8,753

8,423

330

3.8%

Occupancy rate (percent)

per 1,000 population

Residents aged 65 or older

Residents on 12/31/96

| | | | N A T A | | | | | |
|---|---|--|--|---|---|--|--|------------------------------------|
| TOTAL LIVE BIRTHS | | 187 | Birth Order | | | Marital Status | | |
| a 1 - 1 - 1 - 1 - 1 | | 10.6 | First Second | 69 | 37 | of Mother | Births | Percent |
| Crude Live Birth Rate | | | Second | 52 | 28 | Married | 149 | 80 |
| General Fertility Rat | te | 53.4 | Third Fourth or higher Unknown | 29 | 16 | Not married | 38 | 20 |
| | _ | | Fourth or higher | 3.7 | 20 | Unknown | 0 | 0 |
| Live births with repo | orted | | Unknown | 0 | 0 | _ | | |
| Live births with repo congenital anomalies | | 5 3.0% | | | | Education | _ | |
| | | | riibt rienatai | | | of Mother | <u>Births</u> | Percent |
| Delivery Type | Births | Percent | <u> Visit</u> | Births | Percent | Elementary or less | 9 | 5 |
| Vaginal after | | | 1st trimester | 137 | 73 | Some high school | 25 | 13 |
| previous cesarean | 6 | 3 | 2nd trimester | 37 | 20 | High school | 74 | 40 |
| Forceps | 6 | 3 | 3rd trimester | 6 | 3 | Some college | 52 | 28 |
| Other vaginal | 143 | 76 | No visits | 6 | 3 | College graduate | 27 | 14 |
| rorceps Other vaginal Primary cesarean | 21 | 11 | 1st trimester 2nd trimester 3rd trimester No visits Unknown | 1 | <1 | Some high school High school Some college College graduate Unknown | 0 | 0 |
| Repeat cesarean | 11 | 6 | | | | | | |
| Repeat cesarean Other or unknown | 0 | ñ | Number of Prenata | al | | Smoking Status | | |
| 001101 01 0111101111 | · · | · · | Care visits | | Percent | of Mother | Births | Percent |
| Birth Weight | Births | Percent | No wigite | 6 | 3 | Smoker | 34 | 18 |
| <1.500 am | 2 | 1 1 | 1-4 visits | 11 | 6 | Smoker Nonsmoker Unknown | 153 | 82 |
| 1.500-2.499 cm | 11 | 5 9 | 5-9 visits | 39 | 21 | Unknown | 100 | 0 |
| 2 500+ cm | 174 | 93.0 | 10-12 wigits | 75 | 40 | OILLIOWII | J | O |
| 2,3001 911 | 1/1 | 23.0 | 10 12 VIBICE | 7.5 | 20 | | | |
| IInknown | 0 | \cap \cap | 12± wigita | | | | | |
| <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown | 0 | 0.0 | | | | | | |
| | Total B | irths | Low Birth Weight | | Trimest | er of First Prenatal 2nd Trimester | . Visit Other | 'Unknown |
| <u>Race of Mother</u> | Total B Births P | irths <u>ercent</u> | Low Birth Weight (under 2,500 gm) Births Percent | 1st Tri Births | Trimest imester Percent | 2nd Trimester Births Percent | Other/ Births | 'Unknown Percent |
| <u>Race of Mother</u> White | Total B Births P | irths <u>ercent</u> 99 | Low Birth Weight (under 2,500 gm) Births Percent 13 7.0 | 1st Tri <u>Births</u> 136 | Trimest mester <u>Percent</u> 73 | 2nd Trimester Births Percent 37 20 | Other/ Births | 7 |
| <u>Race of Mother</u> White Black | Total B Births P | irths <u>ercent</u> 99 | Low Birth Weight (under 2,500 gm) Births Percent | 1st Tri Births | Trimest mester <u>Percent</u> 73 | 2nd Trimester Births Percent | Other/ Births | 7 |
| Race of Mother White Black Other | Total B Births P | irths <u>ercent</u> 99 | Low Birth Weight (under 2,500 gm) Births Percent 13 7.0 | 1st Tri <u>Births</u> 136 | Trimest mester <u>Percent</u> 73 | 2nd Trimester Births Percent 37 20 | Other/ Births | 7 |
| <u>Race of Mother</u> White Black Other | Total B Births P | irths <u>ercent</u> | Low Birth Weight (under 2,500 gm) Births Percent 13 7.0 | 1st Tri <u>Births</u> 136 | Trimest mester <u>Percent</u> 73 | 2nd Trimester Births Percent 37 20 | Other/ Births | 7 |
| Race of Mother White Black Other Unknown | Total B Births P 186 1 0 0 | irths ercent 99 <1 0 | Low Birth Weight (under 2,500 gm) Births Percent 13 7.0 * | 1st Tri <u>Births</u> 136 * | Trimest mester Percent 73 | 2nd Trimester Births Percent 37 20 * | Other/Births 13 * | 7 |
| Race of Mother White Black Other Unknown | Total B Births P 186 1 0 0 | irths ercent 99 <1 0 | Low Birth Weight (under 2,500 gm) Births Percent 13 7.0 * | 1st Tri Births 136 * | Trimest Mester Percent 73 Trimest | 2nd Trimester Births Percent 37 20 * er of First Prenatal 2nd Trimester | Other/Births 13 * | 7 (Unknown |
| Race of Mother White Black Other Unknown | Total B Births P 186 1 0 0 Fe Births | irths ercent 99 <1 0 0 rtility Rate | Low Birth Weight (under 2,500 gm) Births Percent 13 7.0 * | 1st Tri Births 136 * | Trimest Mester Percent 73 Trimest | 2nd Trimester Births Percent 37 20 * | Other/Births 13 * | 7 (Unknown |
| Race of Mother White Black Other Unknown Age of Mother <15 | Total B Births P 186 1 0 0 Fe Births | irths ercent 99 <1 0 0 rtility Rate | Low Birth Weight (under 2,500 gm) Births Percent 13 7.0 * | 1st Tri Births 136 * | Trimest Mester Percent 73 Trimest | 2nd Trimester Births Percent 37 20 * er of First Prenatal 2nd Trimester | Other/Births 13 * | 7 (Unknown |
| Race of Mother White Black Other Unknown Age of Mother <15 15-17 | Total B Births P 186 1 0 0 Fe Births | irths ercent 99 <1 0 0 rtility Rate | Low Birth Weight (under 2,500 gm) Births Percent 13 7.0 * | 1st Tri Births 136 * | Trimest Percent 73 | 2nd Trimester Births Percent 37 20 * er of First Prenatal 2nd Trimester Births Percent | Other/Births 13 * | 7 'Unknown <u>Percent</u> |
| Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 | Total B Births P 186 1 0 0 Fe Births | irths ercent 99 <1 0 0 rtility Rate | Low Birth Weight (under 2,500 gm) Births Percent 13 7.0 * | 1st Tri Births 136 * | Trimest Trimest Trimest Trimest Trimest Trest Trimest Trimest Trimest | 2nd Trimester Births Percent 37 20 * er of First Prenatal 2nd Trimester Births Percent | Other/Births 13 * | 7 |
| Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 | Total B Births P 186 1 0 0 Fe Births | irths ercent 99 <1 0 0 rtility Rate | Low Birth Weight (under 2,500 gm) Births Percent 13 7.0 * | 1st Tri Births 136 * | Trimest 73 Trimest mester Percent | 2nd Trimester Births Percent 37 20 * er of First Prenatal 2nd Trimester Births Percent | Other/Births 13 * | 7 |
| Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 | Total B Births P 186 1 0 0 Fe Births 2 11 45 69 | irths ercent 99 <1 0 0 rtility Rate | Low Birth Weight (under 2,500 gm) Births Percent 13 7.0 * | 1st Tri Births 136 * | Trimest 73 Trimest mester Percent | 2nd Trimester Births Percent 37 20 * er of First Prenatal 2nd Trimester Births Percent | Other/Births 13 * | 7 /Unknown Percent 4 7 |
| Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 | Total B Births P 186 1 0 0 0 Fe Births 0 2 11 45 69 33 | irths ercent 99 <1 0 0 rtility Rate 94 160 58 | Low Birth Weight (under 2,500 gm) Births Percent 13 7.0 * . . Low Birth Weight (under 2,500 gm) Births Percent . . 5 11.1 3 4.3 4 12.1 | 1st Tri Births 136 * | Trimest | 2nd Trimester Births Percent 37 20 * er of First Prenatal 2nd Trimester Births Percent | Other/Births 13 * | 7 |
| Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 | Total B Births P 186 1 0 0 Fe Births 2 11 45 69 33 20 | irths ercent 99 <1 0 0 rtility Rate | Low Birth Weight (under 2,500 gm) Births Percent 13 7.0 * | 1st Tri Births 136 * . 1st Tri Births . 8 33 55 25 12 | Trimest 73 | 2nd Trimester Births Percent 37 20 | Other/Births 13 * . Visit Other/Births . 2 5 2 1 | 7 |
| Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+ | Total B Births P 186 1 0 0 Fe Births 2 11 45 69 33 20 7 | irths ercent 99 <1 0 0 rtility Rate | Low Birth Weight (under 2,500 gm) Births Percent 13 7.0 * . . Low Birth Weight (under 2,500 gm) Births Percent . . 5 11.1 3 4.3 4 12.1 | 1st Tri Births 136 * | Trimest 73 | 2nd Trimester Births Percent 37 20 * er of First Prenatal 2nd Trimester Births Percent | Other/Births 13 * . Visit Other/Births . 2 5 2 1 | 7 |
| Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 | Total B Births P 186 1 0 0 Fe Births 2 11 45 69 33 20 | irths ercent 99 <1 0 0 rtility Rate | Low Birth Weight (under 2,500 gm) Births Percent 13 7.0 * | 1st Tri Births 136 * . 1st Tri Births . 8 33 55 25 12 | Trimest 73 | 2nd Trimester Births Percent 37 20 | Other/Births 13 * . Visit Other/Births . 2 5 2 1 | 7 |

Note: Death rates (except infant) are per 100,000 population. Infant,

REPORTED CASES OF SELECTED DISEASES

| Disease | Number |
|-------------------------|--------|
| Campylobacter Enteritis | <5 |
| Giardiasis | <5 |
| Hepatitis Type A | 0 |
| Hepatitis Type B* | 0 |
| Hepatitis NANB/C** | 0 |
| Legionnaire's | 0 |
| Lyme | <5 |
| Measles | 0 |
| Meningitis, Aseptic | 0 |
| Meningitis, Bacterial | 0 |
| Mumps | 0 |
| Pertussis | 0 |
| Salmonellosis | <5 |
| Shigellosis | 0 |
| Tuberculosis | 0 |
| | |

- * Includes HBV carriers
- ** Includes HCV screens

Sexually Transmitted Disease

| Chlamydia Trachomatis | 7 | | | |
|--------------------------|---|--|--|--|
| Genital Herpes | | | | |
| Gonorrhea | 0 | | | |
| Nongonococcal Cervicitis | 0 | | | |
| Nongonococcal Urethritis | 0 | | | |
| Syphilis | Ο | | | |

----- I M M U N I Z A T I O N S -----

Children in Grades K-12 by Compliance Level

| Compliant | 2,960 |
|-------------------|-------|
| Non-compliant | 17 |
| Percent Compliant | 99.4 |

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and post-neonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths.

| TOTAL DI | EATHS | | 179 |
|----------|-------|------|-------|
| Crude | Death | Rate | 1,010 |

| Age | Deaths | Rate |
|-------|--------|--------|
| 1-4 | | |
| 5-14 | | |
| 15-19 | 2 | |
| 20-34 | 5 | |
| 35-54 | 8 | |
| 55-64 | 14 | |
| 65-74 | 36 | 2,320 |
| 75-84 | 51 | 4,590 |
| 85+ | 61 | 14,245 |

Infant

| <u>Mortality</u> | Deaths | <u>Rate</u> |
|------------------|--------|-------------|
| Total Infant | 2 | |
| Neonatal | 2 | |
| Post-neonatal | • | |
| Unknown | • | |
| | | |

| Race of Mother | | |
|----------------|---|--|
| White | 2 | |
| Black | • | |
| Other | • | |
| Unknown | • | |
| | | |

| Birth Weight | | |
|----------------|---|---|
| <1,500 gm | 1 | |
| 1,500-2,499 gm | 1 | |
| 2,500+ gm | • | |
| Unknown | • | • |

| Perinatal | | |
|-----------------|--------|------|
| Mortality | Deaths | Rate |
| Total Perinatal | 2 | |
| Neonatal | 2 | |
| Fetal | | |
| | | |

| se. | Lec | ∶t∈ | ed | | |
|-----|------------------|-----|------------|---|---|
| Ima | 7 ₀ 7 | -1- | - i | n | _ |

| <u>Underlying Cause</u> | Deaths | Rate |
|-------------------------|--------|------|
| Heart Disease (total) | 66 | 372 |
| Coronary heart disease | e 47 | 265 |
| Cancer (total) | 30 | 169 |
| Lung | 3 | |
| Colorectal | 4 | |
| Female breast | 4 | |
| Cerebrovascular Disease | e 18 | |
| Chron Obstr Pulmonary | 10 | |
| Pneumonia & Influenza | 13 | |
| Injuries | 6 | |
| Motor vehicle | 4 | |
| Diabetes | 4 | |
| Infectious & Parasitic | 3 | |
| Suicide | 4 | |
| | | |

* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

| Alcohol | 2 | |
|----------------|---|--|
| Other Drugs | | |
| Both Mentioned | | |

----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

| Type of Motor | Persons | |
|-----------------------|---------|--------|
| <u> Vehicle Crash</u> | Injured | Killed |
| Total Crashes | 225 | 6 |
| Alcohol-Related | 13 | 0 |
| With Citation: | | |
| For OWI | 6 | 0 |
| For Speeding | 6 | 0 |
| Motorcyclist | 9 | 0 |
| Bicyclist | 2 | 0 |
| Pedestrian | 3 | 0 |

| DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average | Charge Per Capita | LIZATIONS - DISEASE / AGE GROUP | Number | 1,000 | Average Stay (Days) | Average Charge | Charge Per Capita |
|------------------------|------------|---------------------|---------------------------|-------------------|-------------------------|--|-----------|-------|---------------------------|---------------------|-------------------------|
| Injury-Related | 4. All | | | | | Alcohol-Relate | ď | | | | |
| Total | 202 | 11.4 | 4.1 | \$8,165 | \$93 | Total | 37 | 2.1 | 4.8 | \$4,312 | \$9 |
| <18 | 202 | 4.8 | 1.9 | \$4,493 | \$22 | 18-44 | 24 | 3.8 | 5.3 | \$3,542 | |
| | | 11.0 | | | \$22 \$79 | 1 | | | | Ş3,3 4 2 | \$13 |
| 18-44 | 70 | | 3.1 | \$7,189 | | 45-64 | 10 | • | • | • | • |
| 45-64 | 35 | 9.5 | | \$10,327 | \$98 | | | | | | |
| 65+ | 75 | 24.3 | 5.3 | \$9,144 | \$222 | Pneumonia and | | | | | |
| Injury: Hip | | | | | | Total | 104 | 5.9 | 5.8 | \$8,918 | \$52 |
| Total | 21 | 1.2 | 7.8 | \$12,789 | \$15 | <18 | 10 | | • | | |
| 65+ | 20 | 6.5 | 8.0 | \$12,933 | \$84 | 45-64 | 11 | | • | • | |
| Injury: Pois | sonings | | | | | 65+ | 72 | 23.3 | 5.8 | \$8,242 | \$192 |
| Total | 20 | 1.1 | 2.0 | \$3,597 | \$4 | | | | | | |
| 18-44 | 9 | _ | | , , | • | Cerebrovascula | r Disease | | | | |
| | - | - | • | • | • | Total | 82 | 4.6 | 5.1 | \$8,011 | \$37 |
| Psychiatric | | | | | | 45-64 | 10 | | 3.1 | 40,011 | 45. |
| Total | 172 | 9.7 | 7.2 | \$5,258 | \$51 | 65+ | 69 | 22.3 | 4.9 | \$6,825 | \$152 |
| <18 | 31 | 6.8 | 9.6 | \$6,966 | \$47 | 05+ | 09 | 22.3 | 4.9 | \$0,0 <u>2</u> 5 | ŞIJZ |
| 18-44 | 103 | 16.2 | 6.9 | | \$79 | Chronic Obstru | D1 | T | 3 | | |
| | | | | \$4,882 | | • | | _ | | #C 21F | *00 |
| 45-64 | 21 | 5.7 | 5.6 | \$4,354 | \$25 | Total | 64 | 3.6 | 4.5 | \$6,315 | \$23 |
| 65+ | 17 | • | • | • | • | <18 | 4 | • | • | • | • |
| | | | | | | 18-44 | 7 | | • | • | |
| Coronary Heart | t Disease | | | | | 45-64 | 14 | | | | |
| Total | 124 | 7.0 | 4.3 | \$10,934 | \$76 | 65+ | 39 | 12.6 | 5.2 | \$7,039 | \$89 |
| 45-64 | 36 | 9.8 | 3.9 | \$13,479 | \$132 | | | | | | |
| 65+ | 85 | 27.5 | | \$9,848 | \$271 | Drug-Related | | | | | |
| | 0.5 | _, | | 42,020 | 7 - <i>i</i> - | Total | 6 | | | | |
| Malignant Neor | olagmg (Ca | ncera). | Δ11 | | | 18-44 | 3 | • | • | • | • |
| Total | 97 | 5.5 | 4.8 | \$8,767 | \$48 | 10 44 | 3 | • | • | • | • |
| 18-44 | 8 | | | şo, /0/ | • | Total Hospital | instiana | | | | |
| - | | 9.2 | 4.5 | 40 004 | \$77 | | | 125 0 | 4 0 | 46 046 | 4020 |
| 45-64 | 34 | | | \$8,294 | • | Total | 2,393 | 135.0 | 4.2 | \$6,946 | \$938 |
| 65+ | _ 55 | 17.8 | 5.2 | \$9,322 | \$166 | <18 | 366 | 79.7 | 2.9 | \$3,432 | \$274 |
| Neoplasms: I | | ast (ra | ites for | female po | pulation) | 18-44 | 626 | 98.4 | 3.2 | \$5,194 | \$511 |
| Total | 15 | • | • | • | • | 45-64 | 413 | 112.3 | 4.8 | \$9,637 | \$1,082 |
| Neoplasms: (| | .1 | | | | 65+ | 988 | 319.7 | 5.1 | \$8,233 | \$2,632 |
| Total | 17 | | • | | • | | | | | | |
| 65+ | 12 | | | | • | PREVENTA | BLEH | OSPI | [TAL] | ZATI | ONS* |
| Neoplasms: I | Lung | | | | | Total | 399 | 22.5 | 4.5 | \$6,949 | \$156 |
| Total | 7 | | | | | <18 | 50 | 10.9 | 2.6 | \$4,106 | \$45 |
| | • | • | - | - | • | 18-44 | 43 | 6.8 | 2.6 | \$4,472 | \$30 |
| Diabetes | | | | | | 45-64 | 56 | 15.2 | | \$10,984 | \$167 |
| Total | 25 | 1.4 | 4.2 | \$6,470 | \$9 | 65+ | 250 | 80.9 | 4.9 | \$7,040 | \$569 |
| 65+ | 13 | 1. 1 | 7.4 | γυ , τ / υ | • | 05+ | 250 | 00.9 | ユ・ シ | γ/ , 0±0 | 4202 |
| 05+ | 13 | • | ٠ | • | • | * Hospitalization ambulatory care c | | | | | |